

Contents

1. Background and History	1	2.7.	Mail Protocols	26
1.1.	A Brief Introduction to Sendmail	2.7.1.	SMTP	26
1.2.	History	2.7.2.	UUCP	27
1.2.1.	Sendmail Arrives	2.8.	Summary	29
1.2.2.	Sendmail 8.*			
1.3.	Summary			
2. Groundwork	8	3. Addressing and Delivery	30	
2.1.	A Metaphorical View	3.1.	Sendmail and the Domain Name System	30
2.1.1.	The Analogy Comes Home	3.1.1.	Domain Names	31
2.2.	Sendmail and Internet Addressing	3.1.1.1.	Top Level Domain Names	31
2.2.1.	Relevant Internet RFCs	3.1.1.2.	Domains and Subdomains	32
2.2.2.	Local Addresses	3.1.1.3.	The Resolver and DNSRCH	32
2.2.3.	Nonlocal Addresses	3.1.2.	Resource Records (RRs)	33
2.2.4.	Internet Source Routing	3.1.2.1.	CNAME RR	34
2.2.5.	Summary of Internet Addressing	3.1.2.2.	MX RR	34
2.3.	Anatomy of a Mail Message	3.1.2.3.	A RR	35
2.3.1.	Dissecting a Simple Example	3.1.2.4.	PTR RR	35
2.3.2.	Dissecting a Complex Example	3.1.3.	Delivery Using the DNS	36
2.3.3.	Forwarded Mail	3.2.	Non-Internet Addressing	37
2.3.4.	Less Common Headers	3.2.1.	The Percent (“%”) Hack	37
2.4.	Architecture and Terminology	3.2.2.	UUCP Paths	38
2.5.	Other Transport Agents	3.2.2.1.	So-Called “Smart Hosts”	39
2.6.	Mail User Agents	3.2.2.2.	Hybrid, or Mixed-Mode, UUCP Addresses	41
		3.2.3.	DECnet Paths	42
		3.3.	Pseudodomains, Foreign Addresses, and Encapsulation	43

3.3.1.	Pseudodomains	43	4.9.	Predefined Aliases	71
3.3.2.	Foreign Addresses	45	4.10.	owner-* Aliases	73
3.3.3.	Choosing an Encapsulation Approach	46	4.11.	Double Queuing	73
3.4.	Host Name Abbreviation	47	4.12.	Aliases and Security	75
3.4.1.	Relative Addresses Change with Location	48	4.12.1.	Grepping for Aliases	75
3.4.2.	Relative Addresses May Become Ambiguous	50	4.12.2.	telnet to the SMTP Port	76
3.4.3.	Relative Addressing Does Not Carry to the Top Level	51	4.12.3.	What Can Be Done?	76
3.4.4.	What We Support	52			
4. Aliases and Local Delivery 53					
4.1.	Local Delivery Strategies	53	5. Configuration Design 79		
4.1.1.	Multiple Local User Agents	54	5.1.	Why Design?	79
4.1.1.1.	/bin/mail	54	5.2.	Mail Distribution Systems	79
4.1.1.2.	POP	54	5.3.	Design Components	80
4.1.1.3.	Other Local Transports	55	5.4.	The Mail Hub	82
4.1.2.	Per-User Local Agent Selection	55	5.4.1.	The Mail Gateway	85
4.1.3.	Local Agent Options	56	5.4.1.1.	Bridging the Gap	86
4.2.	Aliases	58	5.4.1.2.	Mail Exchanger	86
4.2.1.	Details	58	5.4.1.3.	Virtual Domains	86
4.2.2.	Distribution Lists	59	5.4.1.4.	Header Translation	86
4.2.3.	Transport Level vs. User Level Aliases	60	5.4.1.5.	The Smart Client	88
4.3.	aliases Syntax	62	5.4.1.6.	The Simple Client	89
4.4.	:include: Files	63	5.4.1.7.	The Mail Cluster	89
4.5.	aliases Database Issues	64	5.4.2.	The Checklist	90
4.6.	Sharing and Distributing Aliases	65	6. Configuration Basics 92		
4.7.	Local Overrides	67	6.1.	Basic Format, Variables, and Classes	92
4.8.	Other Syntactic Trivia	69	6.1.1.	Comments	93
			6.1.2.	Macro Definitions (Variables)	93
			6.1.3.	Classes	95
			6.2.	Rules	96
			6.2.1.	Special Symbols Used on the LHS	97
			6.2.2.	Special Symbols Used on the RHS	98
			6.3.	Pattern Matching — A Brief Interlude	99

- 6.4. Rulesets 102
 - 6.4.1. Predefined Rulesets 103
 - 6.4.2. When Are They Called? 103
 - 6.4.3. Rulesets Called During the Delivery Phase 105
 - 6.4.4. Rulesets That Are Not Predefined 106
 - 6.4.5. Summary 107
 - 6.5. And All the Other Lines 107
 - 6.5.1. Options 107
 - 6.5.2. Header Definition 108
 - 6.5.3. Trusted Users 108
 - 6.5.4. Precedence 109
 - 6.5.5. Mailers and Mailer Definitions 109
 - 6.6. Command Line Arguments 111
- 7. Table Driven Delivery 112**
- 7.1. Syntax 112
 - 7.2. Details 113
 - 7.3. Routing Control 113
 - 7.4. UUCP Path Lookups 116
 - 7.4.1. UUCP Routing Databases 117
 - 7.4.2. UUCP Routing Logic 119
 - 7.4.3. UUCP Routing — Summary 121
 - 7.5. Address Generification 122
 - 7.6. makemap 124
- 8. Configuration Details 125**
- 8.1. The Sendmail Configuration Files 125
 - 8.2. Opening Comments 125
 - 8.3. Macros and Classes 126
- 8.4. Special Macros 128
 - 8.5. Configuration Options 129
 - 8.6. Precedence, Trust, and Headers 132
 - 8.7. Rulesets 1 and 2 133
 - 8.8. Ruleset 3: Focuser 134
 - 8.9. General Cases 135
 - 8.10. Special Mailers: DECnet 138
 - 8.11. UUCP and Other Special Cases 140
 - 8.12. Ruleset 7: Exit Path from Ruleset 3 141
 - 8.13. Ruleset 4: The Final Cleanup 142
 - 8.14. Ruleset 8: Stripping off Local Host Names 143
 - 8.15. Ruleset 9: SMTP Address Adjustment 145
 - 8.16. Ruleset 0: Router and Transporter 146
 - 8.16.1. Special Cases 147
 - 8.16.2. DECnet Mail 148
 - 8.16.3. Final Resolutions 149
 - 8.17. Local Mailer Definitions and Rewriting Rules 151
 - 8.18. SMTP to Hosts Inside the Local Domain 152
 - 8.19. SMTP to Hosts Outside the Local Domain 153
 - 8.20. SMTP to the Relay Host 155
 - 8.21. Final Thoughts on Configuration 155
- 9. Maintenance and Administration 157**
- 9.1. The Files and Directories 157

- 9.2. The Mail Queue 159
- 9.3. Adding a New Mailer 163
- 9.4. Testing Configurations 165
 - 9.4.1. Sendmail -C 165
 - 9.4.2. Sendmail -bt 166
- 9.5. Sendmail -o 168
- 9.6. Sendmail -d 169
 - 9.6.1. Sendmail -d21.3 Example 170
- 9.7. Running Sendmail from InetD 174
- 9.8. Analyzing syslog 175
- 9.9. Resolving Common Problems 178
 - 9.9.1. Undeliverable Mail 178
 - 9.9.2. Queued Mail 179
 - 9.9.3. Tracing Mail Bounces 180
- 9.10. Delivery Options and Queue Management 185
 - 9.10.1. Multiple Queues 186
 - 9.10.1.1. An Example: UUCP Delivery 186
 - 9.10.1.2. Multiple Strategies 187

10. Unwanted E-mail 189

- 10.1. Transmission 190
- 10.2. Relay 192
- 10.3. Reception 193
- 10.4. Definition 195

11. Sendmail and Security 197

- 11.1. Ancient History 197
- 11.2. Sendmail Security Today 198
- 11.3. Sendmail Security Features 199
 - 11.3.1. RunAsUser 199
 - 11.3.2. Maximum MIME Header Length 199

- 11.3.3. Restricted Execution 199
- 11.3.4. Privacy Flags 200
- 11.3.5. Don't Blame Sendmail 202
- 11.4. The Security Process 202

**Appendix A.
Command Line
Arguments 203**

**Appendix B.
Configuration Options 206**

**Appendix C.
Mailer Flags 227**

**Appendix D.
Internal Class Names 231**

**Appendix E.
Internal Macro Names 233**

**Appendix F.
Log Levels 240**

**Appendix G.
Debug Classes 242**

**Appendix H.
Blaming Sendmail 246**

Appendix I.
Simple Configuration
File 250

Appendix J.
Other Resources 251

- J.1. RFCs 251
- J.1.1. Usenet 252
- J.1.2. Websites 253
- J.1.3. Reading List 253

Index. 255